



CPN 2.8/35


$f' = 35.0 \text{ mm}$ $\beta_p = 1.047$
 $s_F = -19.5 \text{ mm}$ $s_{EP} = 13.9 \text{ mm}$
 $s_{F'} = 24.8 \text{ mm}$ $s_{A'P} = -11.8 \text{ mm}$
 $HH' = -3.5 \text{ mm}$ $\Sigma d = 22.1 \text{ mm}$



RELATIVE ILLUMINATION

The relative illumination is shown for the given focal distances or magnifications.


	$f / 2.8$	$f / 5.6$	$f / 8.0$
— $\beta' = -0.0400$	$u'_{max} = 14.9$	$00' = 942.$	
- - $\beta' = -0.1000$	$u'_{max} = 14.8$	$00' = 420.$	
- - - $\beta' = -0.3333$	$u'_{max} = 14.8$	$00' = 183.$	



DISTORTION

Distortion is shown for the given focal distances or magnifications. Positive values indicate pincushion distortion and negative values barrel distortion.

— $\beta' = -0.0400$	$u'_{max} = 14.8$	$00' = 942.$
- - $\beta' = -0.1000$	$u'_{max} = 14.8$	$00' = 420.$
- - - $\beta' = -0.3333$	$u'_{max} = 14.8$	$00' = 183.$



TRANSMITTANCE

Relative spectral transmittance is shown with reference to wavelength.